

AMPCO Data Sheet

article#	A9755091
article description	CEE-switched interlocked socket 125A 5p 7h IP67
description long	CEE-switched interlocked socket 125A 5p 7h IP67 housing material: PC/ABS rated current: 125A number of poles: 5 (3P+N+PE) clock-position: 7h rated voltage/frequency: 277/480V~ - 288/500V~ / 50+60Hz contacts: brass, with lamellar spring (CuBe) connection technology: screw terminals wall mounting, mechanical interlock switch: ON/OFF PCE-Merz ML3; EN 60947-3; AC22A (AC3, 690V, 3~, 45kW) cable entry: top IP protection class: IP67
GTIN (EAN)	9003399023798
country of origin	AT
customs number	85366990
net weight	4.600 kg
packaging quantity	1
minimum order quantity	1

ETIM 9.0	EC001324
IEC-ampereage	125 A
Number of poles	5
Voltage according to EN 60309-2	500 V (50+60 Hz) black
Clock hour position	7 h
Identification colour	Black
Degree of protection (IP)	IP67
Switch	Mechanical locking
Material housing	Plastic
Model	Base unit and cover
Contact material	CuZn
Surface treatment contacts	Nickel-plated

wire flexible	16-50 mm ²
wire solid	16-70 mm ²
ambient temperature	-25 – 40 °C
temperature resistance	-25 – 80 °C

